Niue - Global School-based Student Health Survey 2010

World Health Organization
Centers for Disease Control and Prevention

Report generated on: April 1, 2019

Visit our data catalog at: http://pdl.spc.int/index.php

Overview

Identification

ID NUMBER
NIU_2010_GSHS_v01_M

Version

VERSION DESCRIPTION
- v01: Edited, anonymous datasets for public distribution.

Overview

ABSTRACT
The 2010 Niue Global school-based student health survey (GSHS) was a school-based survey of students in Forms 1-7.

The purpose of the GSHS is to provide data on health behaviors and protective factors among students to:

- Help countries develop priorities, establish programs, and advocate for resources for school health and youth health programs and policies;

- Allow international agencies, countries, and others to make comparisons across countries regarding the prevalence of health behaviors and protective factors; and

- Establish trends in the prevalence of health behaviors and protective factors by country for use in evaluation of school health and youth health promotion.

KIND OF DATA
Sample survey data [ssd]

UNITS OF ANALYSIS
Students aged 13-15 years

Scope

NOTES
The 2010 Niue GSHS measured alcohol use; dietary behaviors; hygiene; mental health; physical activity; protective factors; tobacco use; and violence and unintentional injury.

Coverage

GEOGRAPHIC COVERAGE
National coverage

Producers and Sponsors

PRIMARY INVESTIGATOR(S)

Name	Affiliation

Name	Affiliation
World Health Organization	
Centers for Disease Control and Prevention	

OTHER PRODUCER(S)

Name	Affiliation	Role
United Nations Children's Fund		
United Nations Educational, Scientific and Cultural Organization		
Joint United Nations Programme on HIV/AIDS		

FUNDING

Name	Abbreviation	Role
World Health Organization	WHO	

Metadata Production

METADATA PRODUCED BY

Name	Abbreviation	Affiliation	Role
Development Data Group	DECDG	The World Bank	Documentation of the DDI

DATE OF METADATA PRODUCTION
2014-01-07

DDI DOCUMENT VERSION
Version 01 (Janurary 2014)

DDI DOCUMENT ID
DDI_NIU_2010_GSHS_v01_M_WB

Sampling

Sampling Procedure

The Niue GSHS was a school-based survey of students in Forms 1-7. A census was used to produce data representative of all students in Forms 1-7 in Niue. A total of 141 students participated in the Niue GSHS.

Response Rate

The school response rate was 100%, the student response rate was 81%, and the overall response rate was 81%.

Questionnaires

Overview

The GSHS uses a standardized scientific sample selection process; common school-based methodology; and core questionnaire modules, core-expanded questions, and country-specific questions that are combined to form a self-administered questionnaire that can be administered during one regular class period.

The 10 core questionnaire modules address the leading causes of morbidity and mortality among children and adults worldwide.
- Alcohol use
- Dietary behaviors
- Drug use
- Hygiene
- Mental health
- Physical activity
- Protective factors
- Sexual behaviors that contribute to HIV infection, other sexually-transmitted infections, and unintended pregnancy
- Tobacco use
- Violence and unintentional injury

Data Collection

Data Collection Dates

Start   **End**   **Cycle**

Data Collection Mode

Face-to-face [f2f]

Questionnaires

The GSHS uses a standardized scientific sample selection process; common school-based methodology; and core questionnaire modules, core-expanded questions, and country-specific questions that are combined to form a self-administered questionnaire that can be administered during one regular class period.

The 10 core questionnaire modules address the leading causes of morbidity and mortality among children and adults worldwide.
- Alcohol use
- Dietary behaviors
- Drug use
- Hygiene
- Mental health
- Physical activity
- Protective factors
- Sexual behaviors that contribute to HIV infection, other sexually-transmitted infections, and unintended pregnancy
- Tobacco use
- Violence and unintentional injury

Data Collectors

Name	Abbreviation	Affiliation
World Health Organization	WHO	
Centers for Disease Control and Prevention	CDC	

Data Processing

Data Editing

Students self-reported their responses to each question on a computer scannable answer sheet.

Data Appraisal

No content available

File Description

Variable List

NUH2010_Public_Use

	Content	
Cases	141	
Variable(s)	126	
Structure	Type: Keys: ()	
Version		
Producer		
Missing Data		

Variables

ID	Name	Label	Type	Format	Question
V379	Q1	How old are you	discrete	numeric	How old are you?
V380	Q2	Sex	discrete	numeric	What is your sex?
V381	Q3	In what grade are you	discrete	numeric	In what grade are you?
V382	Q4	How tall are you	contin	numeric	How tall are you without your shoes on?
V383	Q5	How much do you weigh	contin	numeric	How much do you weigh without your shoes on?
V384	Q6	Went hungry past 30 days	discrete	numeric	During the past 30 days, how often did you go hungry because there was not enough food in your home?
V385	Q7	Eat fruit per day past 30 days	discrete	numeric	During the past 30 days, how many times per day did you usually eat fruit, such as mangoes, guavas, vi's, apples, pears, plums, grapes, oranges, mandarins, watermelon, or pawpaw?
V386	Q8	Eat vegetables past 30 days	discrete	numeric	During the past 30 days, how many times per day did you usually eat vegetables, such as cabbage, pok choy, silverbeet, kaluku, lau lu talo, celery, spring onions, broccoli, cauliflower, tomatoes, cucumber, zucchini, pumpkin, parsley, garlic, or buttercup?
V387	Q9	Drink soft drinks past 30 days	discrete	numeric	During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Sprite, Coke, Miranda, Fanta, Ginger Beer, 7-Up, Pepsi Cola, L&P, Cold Rush, or VDrink? (Do not include diet soft drinks.)
V388	Q10	Ate fast food past 7 days	discrete	numeric	During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Mitaki's Café, Falala Fa, Katuali's, Crazy Uga's, Talo's restaurant, Tavana's, Jennas, Washaway Café, or Juana's Restaurant?
V389	Q11	How many times per day brush teeth	discrete	numeric	During the past 30 days, how many times per day did you usually clean or brush your teeth?
V390	Q12	Wash hands before eating past 30 days	discrete	numeric	During the past 30 days, how often did you wash your hands before eating?

ID	Name	Label	Type	Format	Question
V391	Q13	Wash hands after toilet past 30 day	discrete	numeric	During the past 30 days, how often did you wash your hands after using the toilet or latrine?
V392	Q14	Used soap on hands past 30 days	discrete	numeric	During the past 30 days, how often did you use soap when washing your hands?
V393	Q15	Times attacked past 12 mo.	discrete	numeric	During the past 12 months, how many times were you physically attacked?
V394	Q16	How many times in fight 12 mos	discrete	numeric	During the past 12 months, how many times were you in a physical fight?
V395	Q17	How many times injured past 12 months	discrete	numeric	During the past 12 months, how many times were you seriously injured?
V396	Q18	What was serious injury past 12 mo.	discrete	numeric	During the past 12 months, what was the most serious injury that happened to you?
V397	Q19	Cause of injury past 12 mo.	discrete	numeric	During the past 12 months, what was the major cause of the most serious injury that happened to you?
V398	Q20	How many days bullied past 30 days	discrete	numeric	During the past 30 days, on how many days were you bullied?
V399	Q21	How bullied past 30 days	discrete	numeric	During the past 30 days, how were you bullied most often?
V400	Q22	Times felt lonely past 12 mo.	discrete	numeric	During the past 12 months, how often have you felt lonely?
V401	Q23	Times could not sleep past 12 mo.	discrete	numeric	During the past 12 months, how often have you been so worried about something that you could not sleep at night?
V402	Q24	Ever considered suicide 12 mos	discrete	numeric	During the past 12 months, did you ever seriously consider attempting suicide?
V403	Q25	Ever make suicide plan 12 mos	discrete	numeric	During the past 12 months, did you make a plan about how you would attempt suicide?
V404	Q26	How many times attempt suicide 12 mos	discrete	numeric	During the past 12 months, how many times did you actually attempt suicide?
V405	Q27	Number close friends	discrete	numeric	How many close friends do you have?
V406	Q28	Age first tried cigarette	discrete	numeric	How old were you when you first tried a cigarette?
V407	Q29	How many days smoked 30 days	discrete	numeric	During the past 30 days, on how many days did you smoke cigarettes?
V408	Q30	Other forms of tobacco	discrete	numeric	During the past 30 days, on how many days did you use any tobacco products other than cigarettes?
V409	Q31	Try stop smoking past 12 mo.	discrete	numeric	During the past 12 months, have you ever tried to stop smoking cigarettes?
V410	Q32	Others present smoking past 7 days	discrete	numeric	During the past 7 days, on how many days have people smoked in your presence?
V411	Q33	Parents who use tobacco	discrete	numeric	Which of your parents or guardians use any form of tobacco?
V412	Q34	Age first drink of alcohol	discrete	numeric	How old were you when you had your first drink of alcohol other than a few sips?
V413	Q35	Days one drink or more past 30 days	discrete	numeric	During the past 30 days, on how many days did you have at least one drink containing alcohol?

ID	Name	Label	Type	Format	Question
V414	Q36	Number of drinks past 30 days	discrete	numeric	During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?
V415	Q37	How got drinks past 30 days	discrete	numeric	During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.
V416	Q38	Times drunk during life	discrete	numeric	During your life, how many times did you drink so much alcohol that you were really drunk?
V417	Q39	Number of troubles as result of drinking	discrete	numeric	During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?
V418	Q40	Age first drugs	discrete	numeric	How old were you when you first used drugs?
V419	Q41	Times used marijuana lifetime	discrete	numeric	During your life, how many times have you used marijuana?
V420	Q42	Times used marijuana past 30 days	discrete	numeric	During the past 30 days, how many times have you used marijuana?
V421	Q43	Times used amphetamines lifetime	discrete	numeric	During your life, how many times have you used amphetamines or methamphetamines?
V422	Q44	Ever had sex	discrete	numeric	
V423	Q45	Age first sexual intercourse	discrete	numeric	
V424	Q46	How many sex partners	discrete	numeric	
V425	Q47	Used condom at last intercourse	discrete	numeric	
V426	Q48	Used birth control last intercourse	discrete	numeric	
V427	Q49	Days active 60 min plus past 7 days	discrete	numeric	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.
V428	Q50	Walk or bike to school past 7 days	discrete	numeric	During the past 7 days, on how many days did you walk or ride a bicycle to or from school?
V429	Q51	Days went to PE each week	discrete	numeric	During this school year, on how many days did you go to physical education (PE) class each week?
V430	Q52	Time spent sitting on usual day	discrete	numeric	How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as playing Xbox games or surfing the net?
V431	Q53	Miss school no permission past 30 days	discrete	numeric	During the past 30 days, on how many days did you miss classes or school without permission?
V432	Q54	Others helpful in school past 30 days	discrete	numeric	During the past 30 days, how often were most of the students in your school kind and helpful?
V433	Q55	Parents check homework past 30 days	discrete	numeric	During the past 30 days, how often did your parents or guardians check to see if your homework was done?

ID	Name	Label	Type	Format	Question
V434	Q56	Parent understand troubles past 30 days	discrete	numeric	During the past 30 days, how often did your parents or guardians understand your problems and worries?
V435	Q57	Parent know what you do past 30 days	discrete	numeric	During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?
V436	Q58	Parent go through things past 30 days	discrete	numeric	During the past 30 days, how often did your parents or guardians go through your things without your approval?
V437	QN6	Went hungry most of time/always past 30 days	discrete	numeric	
V438	QN7	Ate fruit 2+ times per day past 30 days	discrete	numeric	
V439	QN8	Ate vegetables 3+ times per day past 30 day	discrete	numeric	
V440	QN9	Drank soft drinks 1+ times per day past 30 day	discrete	numeric	
V441	QN10	Ate fast food 3+ days past 7 day	discrete	numeric	
V442	QN11	Cleaned/brushed teeth <1 time/day past 30 days	discrete	numeric	
V443	QN12	Never/rarely wash hands before eating past 30 days	discrete	numeric	
V444	QN13	Never/rarely wash hands after toilet past 30 days	discrete	numeric	
V445	QN14	Never/rarely use soap on hands past 30 days	discrete	numeric	
V446	QN15	Attacked 1+ times past 12 months	discrete	numeric	
V447	QN16	In fight 1+ times past 12 months	discrete	numeric	
V448	QN17	Seriously injured 1+ times past 12 months	discrete	numeric	
V449	QN18	Broken bone as most serious injury	discrete	numeric	
V450	QN19	Motor vehicle caused most serious injury	discrete	numeric	
V451	QN20	Bullied 1+ of past 30 days	discrete	numeric	
V452	QN21	Of students bullied, most often hit, kicked, etc	discrete	numeric	
V453	QN22	Lonely most times/always past 12 months	discrete	numeric	
V454	QN23	Worry prevented sleep most time/always past 12 mos	discrete	numeric	
V455	QN24	Considered suicide past 12 months	discrete	numeric	
V456	QN25	Made suicide plan past 12 months	discrete	numeric	
V457	QN26	1+ times attempt suicide 12 mos.	discrete	numeric	
V458	QN27	No close friends	discrete	numeric	
V459	QN28	Age first cigarette before 14	discrete	numeric	
V460	QN29	Smoked cigarettes 1+ of past 30 days	discrete	numeric	

ID	Name	Label	Type	Format	Question
V461	QN30	Used other tobacco 1+ of past 30 days	discrete	numeric	
V462	QN31	Tried to quit smoking past 12 months	discrete	numeric	
V463	QN32	Others present smoking 1+ of past 7 days	discrete	numeric	
V464	QN33	Either/Both parents use tobacco	discrete	numeric	
V465	QN34	Age first alcohol before 14	discrete	numeric	
V466	QN35	Drank 1+ days past 30 days	discrete	numeric	
V467	QN36	Of current drinkers, drank 2+ drinks/day 30 days	discrete	numeric	
V468	QN37	Of current drinkers, got alcohol from friends	discrete	numeric	
V469	QN38	1+ times drunk in lifetime	discrete	numeric	
V470	QN39	Alcohol trouble 1+ times in lifetime	discrete	numeric	
V471	QN40	Age first drugs before 14	discrete	numeric	
V472	QN41	Marijuana 1+ times in lifetime	discrete	numeric	
V473	QN42	Marijuana 1+ times p 30 days	discrete	numeric	
V474	QN43	Amphetamines 1+ times lifetime	discrete	numeric	
V475	QN44	Ever had sex	discrete	numeric	
V476	QN45	Age first sexual intercourse before 14	discrete	numeric	
V477	QN46	2+ sex partners lifetime	discrete	numeric	
V478	QN47	Among ever sex, used condoms at last sex	discrete	numeric	
V479	QN48	Used birth control at last sex	discrete	numeric	
V480	QN49	Active 60+ mins/day for 5+ of past 7 days	discrete	numeric	
V481	QN50	Walk/Bike to/from school 0 of past 7 days	discrete	numeric	
V482	QN51	3+ days PE each week	discrete	numeric	
V483	QN52	Sitting activities 3+ hours/day of usual day	discrete	numeric	
V484	QN53	Miss school no permission 1+ of past 30 days	discrete	numeric	
V485	QN54	Students most/always kind 30 days	discrete	numeric	
V486	QN55	Parents most/always check homework	discrete	numeric	
V487	QN56	Parents most/always understand problems	discrete	numeric	
V488	QN57	Parents most/always know about free time	discrete	numeric	
V489	QN58	Parents never/rarely go thru things	discrete	numeric	
V490	site	Site Code	discrete	numeric	

ID	Name	Label	Type	Format	Question
V491	schoolid	School Identifier	discrete	numeric	
V492	classid	Class Identifier	discrete	numeric	
V493	qnowtg	Overweight	discrete	numeric	
V494	qnobeseg	Obese	discrete	numeric	
V495	qnunwtg	Underweight	discrete	numeric	
V496	qnfrvgg	Ate 5+ fruits/vegetables 30 days	discrete	numeric	
V497	qnanytbg	Used any tobacco past 30 days	discrete	numeric	
V498	qnpa7g	Physically active all past 7 days	discrete	numeric	
V499	qnpe5g	Attended PE 5+ days each week	discrete	numeric	
V500	qnc1g	Among heavy drinkers, ever sex	discrete	numeric	
V501	qnc2g	Among those worried, currently bullied	discrete	numeric	
V502	weight	Weight	contin	numeric	
V503	stratum	Stratum	discrete	numeric	
V504	psu	Primary Sampling Unit	discrete	numeric	

How old are you (Q1)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 6
Range: 1-6	
Invalid: -1.79769313486232e+308	

Literal question

How old are you?

Sex (Q2)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Literal question

What is your sex?

In what grade are you (Q3)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 139
Format: numeric	Invalid: 2
Width: 1	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	
Invalid: -1.79769313486232e+308	

Literal question

In what grade are you?

How tall are you (Q4)
File: NUH2010_Public_Use

Overview	
Type: Continuous	Valid cases: 138
Format: numeric	Invalid: 3
Width: 4	Minimum: 1.4
Decimals: 0	Maximum: 1.9
Range: 1.41-1.91	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about your height, weight, and going hungry.

Literal question

How tall are you without your shoes on?

Interviewer instructions

How tall are you (Q4)
File: NUH2010_Public_Use

ON THE ANSWER SHEET, WRITE YOUR HEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

How much do you weigh (Q5)
File: NUH2010_Public_Use

Overview

Type: Continuous	Valid cases: 138
Format: numeric	Invalid: 3
Width: 3	Minimum: 35
Decimals: 0	Maximum: 136
Range: 35-136	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about your height, weight, and going hungry.

Literal question

How much do you weigh without your shoes on?

Interviewer instructions

ON THE ANSWER SHEET, WRITE YOUR WEIGHT IN THE SHADED BOXES AT THE TOP OF THE GRID. THEN FILL IN THE OVAL BELOW EACH NUMBER.

Went hungry past 30 days (Q6)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about your height, weight, and going hungry.

Literal question

During the past 30 days, how often did you go hungry because there was not enough food in your home?

Eat fruit per day past 30 days (Q7)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	
Invalid: -1.79769313486232e+308	

Pre question

The next 8 questions ask about what you might eat and drink.

Literal question

During the past 30 days, how many times per day did you usually eat fruit, such as mangoes, guavas, vi's, apples, pears, plums, grapes, oranges, mandarins, watermelon, or pawpaw?

Eat vegetables past 30 days (Q8)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 7

Pre question

The next 8 questions ask about what you might eat and drink.

Literal question

During the past 30 days, how many times per day did you usually eat vegetables, such as cabbage, pok choy, silverbeet, kaluku, lau lu talo, celery, spring onions, broccoli, cauliflower, tomatoes, cucumber, zucchini, pumpkin, parsley, garlic, or buttercup?

Drink soft drinks past 30 days (Q9)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 7

Pre question

The next 8 questions ask about what you might eat and drink.

Literal question

During the past 30 days, how many times per day did you usually drink carbonated soft drinks, such as Sprite, Coke, Miranda, Fanta, Ginger Beer, 7-Up, Pepsi Cola, L&P, Cold Rush, or VDrink? (Do not include diet soft drinks.)

Ate fast food past 7 days (Q10)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 8

Pre question

The next 8 questions ask about what you might eat and drink.

Literal question

During the past 7 days, on how many days did you eat food from a fast food restaurant, such as Mitaki's Café, Falala Fa, Katuali's, Crazy Uga's, Talo's restaurant, Tavana's, Jennas, Washaway Café, or Juana's Restaurant?

How many times per day brush teeth (Q11)
File: NUH2010_Public_Use

Overview

How many times per day brush teeth (Q11)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 6

Pre question

The next 8 questions ask about cleaning your teeth, washing your hands, and using the toilet or latrine.

Literal question

During the past 30 days, how many times per day did you usually clean or brush your teeth?

Wash hands before eating past 30 days (Q12)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 2
Maximum: 5

Pre question

The next 8 questions ask about cleaning your teeth, washing your hands, and using the toilet or latrine.

Literal question

During the past 30 days, how often did you wash your hands before eating?

Wash hands after toilet past 30 day (Q13)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 139
Invalid: 2
Minimum: 1
Maximum: 5

Pre question

The next 8 questions ask about cleaning your teeth, washing your hands, and using the toilet or latrine.

Literal question

During the past 30 days, how often did you wash your hands after using the toilet or latrine?

Used soap on hands past 30 days (Q14)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 2
Maximum: 5

Used soap on hands past 30 days (Q14)
File: NUH2010_Public_Use

Pre question

The next 8 questions ask about cleaning your teeth, washing your hands, and using the toilet or latrine.

Literal question

During the past 30 days, how often did you use soap when washing your hands?

Times attacked past 12 mo. (Q15)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	
Invalid: -1.79769313486232e+308	

Pre question

The next question asks about physical attacks. A physical attack occurs when one or more people hit or strike someone, or when one or more people hurt another person with a weapon (such as a stick, knife, or gun). It is not a physical attack when two students of about the same strength or power choose to fight each other.

Literal question

During the past 12 months, how many times were you physically attacked?

How many times in fight 12 mos (Q16)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	
Invalid: -1.79769313486232e+308	

Pre question

The next question asks about physical fights. A physical fight occurs when two students of about the same strength or power choose to fight each other.

Literal question

During the past 12 months, how many times were you in a physical fight?

How many times injured past 12 months (Q17)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 131
Format: numeric	Invalid: 10
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	
Invalid: -1.79769313486232e+308	

Pre question

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

How many times injured past 12 months (Q17)
File: NUH2010_Public_Use

Literal question

During the past 12 months, how many times were you seriously injured?

What was serious injury past 12 mo. (Q18)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 130
Format: numeric	Invalid: 11
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	
Invalid: -1.79769313486232e+308	

Pre question

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

Literal question

During the past 12 months, what was the most serious injury that happened to you?

Cause of injury past 12 mo. (Q19)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 132
Format: numeric	Invalid: 9
Width: 1	Minimum: 1
Decimals: 0	Maximum: 8
Range: 1-8	
Invalid: -1.79769313486232e+308	

Pre question

The next 3 questions ask about serious injuries that happened to you. An injury is serious when it makes you miss at least one full day of usual activities (such as school, sports, or a job) or requires treatment by a doctor or nurse.

Literal question

During the past 12 months, what was the major cause of the most serious injury that happened to you?

How many days bullied past 30 days (Q20)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 131
Format: numeric	Invalid: 10
Width: 1	Minimum: 1
Decimals: 0	Maximum: 7
Range: 1-7	
Invalid: -1.79769313486232e+308	

Pre question

The next 3 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

Literal question

How many days bullied past 30 days (Q20)
File: NUH2010_Public_Use

During the past 30 days, on how many days were you bullied?

How bullied past 30 days (Q21)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: -1.79769313486232e+308

Valid cases: 131
Invalid: 10
Minimum: 1
Maximum: 8

Pre question

The next 3 questions ask about bullying. Bullying occurs when a student or group of students say or do bad and unpleasant things to another student. It is also bullying when a student is teased a lot in an unpleasant way or when a student is left out of things on purpose. It is not bullying when two students of about the same strength or power argue or fight or when teasing is done in a friendly and fun way.

Literal question

During the past 30 days, how were you bullied most often?

Times felt lonely past 12 mo. (Q22)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

During the past 12 months, how often have you felt lonely?

Times could not sleep past 12 mo. (Q23)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

During the past 12 months, how often have you been so worried about something that you could not sleep at night?

Ever considered suicide 12 mos (Q24)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

During the past 12 months, did you ever seriously consider attempting suicide?

Ever make suicide plan 12 mos (Q25)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 140
Format: numeric	Invalid: 1
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

During the past 12 months, did you make a plan about how you would attempt suicide?

How many times attempt suicide 12 mos (Q26)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-5	
Invalid: -1.79769313486232e+308	

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

During the past 12 months, how many times did you actually attempt suicide?

Number close friends (Q27)
File: NUH2010_Public_Use

Overview

Number close friends (Q27)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Pre question

The next 11 questions ask about your feelings and friendships.

Literal question

How many close friends do you have?

Age first tried cigarette (Q28)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

How old were you when you first tried a cigarette?

How many days smoked 30 days (Q29)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

During the past 30 days, on how many days did you smoke cigarettes?

Other forms of tobacco (Q30)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 5

Other forms of tobacco (Q30)
File: NUH2010_Public_Use

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

During the past 30 days, on how many days did you use any tobacco products other than cigarettes?

Try stop smoking past 12 mo. (Q31)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 4
Range: 1-4	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

During the past 12 months, have you ever tried to stop smoking cigarettes?

Others present smoking past 7 days (Q32)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 140
Format: numeric	Invalid: 1
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

During the past 7 days, on how many days have people smoked in your presence?

Parents who use tobacco (Q33)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	
Invalid: -1.79769313486232e+308	

Pre question

The next 6 questions ask about cigarette and other tobacco use.

Literal question

Which of your parents or guardians use any form of tobacco?

Age first drink of alcohol (Q34)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 128
Invalid: 13
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Literal question

How old were you when you had your first drink of alcohol other than a few sips?

Days one drink or more past 30 days (Q35)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Literal question

During the past 30 days, on how many days did you have at least one drink containing alcohol?

Number of drinks past 30 days (Q36)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Literal question

During the past 30 days, on the days you drank alcohol, how many drinks did you usually drink per day?

How got drinks past 30 days (Q37)
File: NUH2010_Public_Use

How got drinks past 30 days (Q37)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 7

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Literal question

During the past 30 days, how did you usually get the alcohol you drank? SELECT ONLY ONE RESPONSE.

Times drunk during life (Q38)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 4

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

Literal question

During your life, how many times did you drink so much alcohol that you were really drunk?

Number of troubles as result of drinking (Q39)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4
Invalid: -1.79769313486232e+308

Valid cases: 136
Invalid: 5
Minimum: 1
Maximum: 4

Pre question

The next 6 questions ask about drinking alcohol. This includes drinking beer, whiskey, and other alcoholic drinks, but not Kava Tonga. Drinking alcohol does not include drinking a few sips of wine for religious purposes. A "drink" is a glass of wine, a bottle of beer, a small glass of liquor, or a mixed drink.

Staggering when walking, not being able to speak right, and throwing up are some signs of being really drunk.

Literal question

During your life, how many times have you got into trouble with your family or friends, missed school, or got into fights, as a result of drinking alcohol?

Age first drugs (Q40)
File: NUH2010_Public_Use

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-7

Invalid: -1.79769313486232e+308

Valid cases: 0

Invalid: 141

Pre question

The next 7 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, and inhalants.

Literal question

How old were you when you first used drugs?

Times used marijuana lifetime (Q41)
File: NUH2010_Public_Use

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Invalid: -1.79769313486232e+308

Valid cases: 0

Invalid: 141

Pre question

The next 7 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, and inhalants.

Literal question

During your life, how many times have you used marijuana?

Times used marijuana past 30 days (Q42)
File: NUH2010_Public_Use

Overview

Type: Discrete

Format: numeric

Width: 1

Decimals: 0

Range: 1-5

Invalid: -1.79769313486232e+308

Valid cases: 0

Invalid: 141

Pre question

The next 7 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, and inhalants.

Literal question

During the past 30 days, how many times have you used marijuana?

Times used amphetamines lifetime (Q43)
File: NUH2010_Public_Use

Overview

Times used amphetamines lifetime (Q43)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Pre question

The next 7 questions ask about drug use. This includes using marijuana, amphetamines, cocaine, and inhalants.

Literal question

During your life, how many times have you used amphetamines or methamphetamines?

Ever had sex (Q44)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Age first sexual intercourse (Q45)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

How many sex partners (Q46)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-7
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Used condom at last intercourse (Q47)
File: NUH2010_Public_Use

Overview

Used condom at last intercourse (Q47)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-3
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Used birth control last intercourse (Q48)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-4
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Days active 60 min plus past 7 days (Q49)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: -1.79769313486232e+308

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 8

Pre question

The next 6 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, rugby, netball, touch rugby, or golf.

Literal question

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? ADD UP ALL THE TIME YOU SPENT IN ANY KIND OF PHYSICAL ACTIVITY EACH DAY.

Walk or bike to school past 7 days (Q50)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-8
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 8

Pre question

The next 6 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, rugby, netball, touch rugby, or golf.

Literal question

During the past 7 days, on how many days did you walk or ride a bicycle to or from school?

Days went to PE each week (Q51)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 6

Pre question

The next 6 questions ask about physical activity. Physical activity is any activity that increases your heart rate and makes you get out of breath some of the time. Physical activity can be done in sports, playing with friends, or walking to school. Some examples of physical activity are running, fast walking, biking, dancing, football, rugby, netball, touch rugby, or golf.

Literal question

During this school year, on how many days did you go to physical education (PE) class each week?

Time spent sitting on usual day (Q52)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-6
Invalid: -1.79769313486232e+308

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 6

Pre question

The next question asks about the time you spend mostly sitting when you are not in school or doing homework.

Literal question

How much time do you spend during a typical or usual day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as playing Xbox games or surfing the net?

Miss school no permission past 30 days (Q53)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 135
Invalid: 6
Minimum: 1
Maximum: 5

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, on how many days did you miss classes or school without permission?

Others helpful in school past 30 days (Q54)
File: NUH2010_Public_Use

Overview

Others helpful in school past 30 days (Q54)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 135
Invalid: 6
Minimum: 1
Maximum: 5

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, how often were most of the students in your school kind and helpful?

Parents check homework past 30 days (Q55)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 5

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, how often did your parents or guardians check to see if your homework was done?

Parent understand troubles past 30 days (Q56)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 5

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, how often did your parents or guardians understand your problems and worries?

Parent know what you do past 30 days (Q57)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-5
Invalid: -1.79769313486232e+308

Valid cases: 136
Invalid: 5
Minimum: 1
Maximum: 5

Parent know what you do past 30 days (Q57)
File: NUH2010_Public_Use

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, how often did your parents or guardians really know what you were doing with your free time?

Parent go through things past 30 days (Q58)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 136
Format: numeric	Invalid: 5
Width: 1	Minimum: 1
Decimals: 0	Maximum: 5
Range: 1-5	
Invalid: -1.79769313486232e+308	

Pre question

The next 8 questions ask about your experiences at school and at home.

Literal question

During the past 30 days, how often did your parents or guardians go through your things without your approval?

Went hungry most of time/always past 30 days (QN6)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Ate fruit 2+ times per day past 30 days (QN7)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Ate vegetables 3+ times per day past 30 day (QN8)
File: NUH2010_Public_Use

Overview

Ate vegetables 3+ times per day past 30 day (QN8)
File: NUH2010_Public_Use

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Drank soft drinks 1+ times per day past 30 day (QN9)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Ate fast food 3+ days past 7 day (QN10)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Cleaned/brushed teeth <1 time/day past 30 days (QN11)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

Never/rarely wash hands before eating past 30 days (QN12)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

Never/rarely wash hands after toilet past 30 days (QN13)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 139
Invalid: 2
Minimum: 1
Maximum: 2

Never/rarely use soap on hands past 30 days (QN14)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Attacked 1+ times past 12 months (QN15)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

In fight 1+ times past 12 months (QN16)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Seriously injured 1+ times past 12 months (QN17)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 131
Invalid: 10
Minimum: 1
Maximum: 2

Broken bone as most serious injury (QN18)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 55
Format: numeric	Invalid: 86
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Motor vehicle caused most serious injury (QN19)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 53
Format: numeric	Invalid: 88
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Bullied 1+ of past 30 days (QN20)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 131
Format: numeric	Invalid: 10
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Of students bullied, most often hit, kicked, etc (QN21)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 33
Format: numeric	Invalid: 108
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Lonely most times/always past 12 months (QN22)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	
Invalid: -1.79769313486232e+308	

Worry prevented sleep most time/always past 12 mos (QN23)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	
Invalid: -1.79769313486232e+308	

Considered suicide past 12 months (QN24)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Made suicide plan past 12 months (QN25)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 140
Format: numeric	Invalid: 1
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

1+ times attempt suicide 12 mos. (QN26)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

No close friends (QN27)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	
Invalid: -1.7976913486232e+308	

Age first cigarette before 14 (QN28)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 43
Format: numeric	Invalid: 98
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Smoked cigarettes 1+ of past 30 days (QN29)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 140
Format: numeric	Invalid: 1
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Used other tobacco 1+ of past 30 days (QN30)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 141
Format: numeric	Invalid: 0
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Tried to quit smoking past 12 months (QN31)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 17
Format: numeric	Invalid: 124
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Others present smoking 1+ of past 7 days (QN32)
File: NUH2010_Public_Use

Overview

Type: Discrete	Valid cases: 140
Format: numeric	Invalid: 1
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Either/Both parents use tobacco (QN33)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Age first alcohol before 14 (QN34)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 59
Invalid: 82
Minimum: 1
Maximum: 2

Drank 1+ days past 30 days (QN35)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 2

Of current drinkers, drank 2+ drinks/day 30 days (QN36)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 34
Invalid: 107
Minimum: 1
Maximum: 2

Of current drinkers, got alcohol from friends (QN37)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 33
Invalid: 108
Minimum: 1
Maximum: 2

1+ times drunk in lifetime (QN38)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 2

Alcohol trouble 1+ times in lifetime (QN39)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 136
Invalid: 5
Minimum: 1
Maximum: 2

Age first drugs before 14 (QN40)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Marijuana 1+ times in lifetime (QN41)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Marijuana 1+ times p 30 days (QN42)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Amphetamines 1+ times lifetime (QN43)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Ever had sex (QN44)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Age first sexual intercourse before 14 (QN45)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

2+ sex partners lifetime (QN46)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Among ever sex, used condoms at last sex (QN47)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Used birth control at last sex (QN48)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Invalid: -1.79769313486232e+308

Valid cases: 0
Invalid: 141

Active 60+ mins/day for 5+ of past 7 days (QN49)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 2

Walk/Bike to/from school 0 of past 7 days (QN50)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

3+ days PE each week (QN51)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

Sitting activities 3+ hours/day of usual day (QN52)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2
Invalid: -1.79769313486232e+308

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 2

Miss school no permission 1+ of past 30 days (QN53)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 135
Format: numeric	Invalid: 6
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Students most/always kind 30 days (QN54)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 135
Format: numeric	Invalid: 6
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Parents most/always check homework (QN55)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Parents most/always understand problems (QN56)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Parents most/always know about free time (QN57)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 136
Format: numeric	Invalid: 5
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Parents never/rarely go thru things (QN58)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 136
Format: numeric	Invalid: 5
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	
Invalid: -1.79769313486232e+308	

Site Code (site)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	

School Identifier (schoolid)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	

Class Identifier (classid)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 0
Format: numeric	Invalid: 141
Width: 1	
Decimals: 0	

Overweight (qnowtg)
File: NUH2010_Public_Use

Overview	
Type: Discrete	Valid cases: 138
Format: numeric	Invalid: 3
Width: 1	Minimum: 1
Decimals: 0	Maximum: 2
Range: 1-2	

Obese (qnobeseg)
File: NUH2010_Public_Use

Obese (qnobeseg)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 138
Invalid: 3
Minimum: 1
Maximum: 2

Underweight (qnunwtg)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 2-2

Valid cases: 138
Invalid: 3
Minimum: 2
Maximum: 2

Ate 5+ fruits/vegetables 30 days (qnfrvgg)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 2

Used any tobacco past 30 days (qnanytbg)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

Physically active all past 7 days (qnpa7g)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 137
Invalid: 4
Minimum: 1
Maximum: 2

Attended PE 5+ days each week (qnpe5g)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-2

Valid cases: 140
Invalid: 1
Minimum: 1
Maximum: 2

Among heavy drinkers, ever sex (qnc1g)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 141

Among those worried, currently bullied (qnc2g)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 1
Decimals: 0

Valid cases: 0
Invalid: 141

Weight (weight)
File: NUH2010_Public_Use

Overview	

Type: Continuous
Format: numeric
Width: 6
Decimals: 0
Range: 0.9043-3.5

Valid cases: 141
Invalid: 0
Minimum: 0.9
Maximum: 3.5

Stratum (stratum)
File: NUH2010_Public_Use

Overview	

Type: Discrete
Format: numeric
Width: 9
Decimals: 0
Range: 201001000-201001000

Valid cases: 141
Invalid: 0
Minimum: 201001000
Maximum: 201001000

Primary Sampling Unit (psu)
File: NUH2010_Public_Use

Primary Sampling Unit (psu)
File: NUH2010_Public_Use

Overview

Type: Discrete
Format: numeric
Width: 1
Decimals: 0
Range: 1-1

Valid cases: 141
Invalid: 0
Minimum: 1
Maximum: 1